


Coude d'ajustage Geberit Mapress Cuivre



Exemple d'image



Caractéristiques techniques

Matériau | Cuivre Cu-DHP CW024A (EN 1412)

N° de réf.	DN	d, ø	arc	H	H1	K	K1
60082	12	15 mm	90 °	5.1 cm	11.8 cm	0 cm	6.7 cm
60083	15	18 mm	90 °	5.3 cm	12.2 cm	0 cm	6.9 cm
60084	20	22 mm	90 °	6 cm	12.8 cm	0 cm	6.8 cm
60935	25	28 mm	30 °	4.8 cm	12.4 cm	0 cm	7.6 cm
60875	25	28 mm	45 °	4.5 cm	11.8 cm	0 cm	7.3 cm
60955	25	28 mm	60 °	6.1 cm	13.7 cm	0 cm	7.6 cm
60085	25	28 mm	90 °	6.5 cm	14 cm	0 cm	7.5 cm
60905	25	28 mm	15 °	4.3 cm	11.9 cm	0 cm	7.6 cm
60906	32	35 mm	15 °	4.1 cm	11.8 cm	0 cm	7.7 cm
60936	32	35 mm	30 °	4.6 cm	12.3 cm	0 cm	7.7 cm
60876	32	35 mm	45 °	4.9 cm	12.6 cm	0 cm	7.7 cm
60956	32	35 mm	60 °	5.9 cm	13.6 cm	0 cm	7.7 cm
60086	32	35 mm	90 °	7.4 cm	15.1 cm	0 cm	7.7 cm
60907	40	42 mm	15 °	4.7 cm	13.7 cm	0 cm	9 cm
60937	40	42 mm	30 °	5.4 cm	14.4 cm	0 cm	9 cm
60877	40	42 mm	45 °	5.7 cm	14.7 cm	0 cm	9 cm
60957	40	42 mm	60 °	6.9 cm	15.9 cm	0 cm	9 cm
60087	40	42 mm	90 °	8.6 cm	17.6 cm	0 cm	9 cm
60908	50	54 mm	15 °	5.5 cm	14.9 cm	0 cm	9.4 cm
60938	50	54 mm	30 °	6.3 cm	15.7 cm	0 cm	9.4 cm
60878	50	54 mm	45 °	6.8 cm	16.2 cm	0 cm	9.4 cm
60958	50	54 mm	60 °	8.3 cm	17.7 cm	0 cm	9.4 cm